





Result: **629.6** (597)^{QF}
 Series: 104.9 106.0 105.0 104.3 104.3 105.1
 Shot value: 57 3 0 0 0 0 0 0 0 0
 Inner ten: 52
 Furthest: 279 (51), 267 (8), 252 (40)
 Best divider 4.0 (24.) 4.0 (57.) 15.0 (15.)
 Shot position 0.14 mm Left, 0.28 mm Low
 Dispersion value 0.92, Horizontal: 1.07, Vertical: 0.74




Series 1:
 10.8 * 10.4 * 10.6 * 10.4 * 10.7 *
 10.8 * 10.7 * 9.9 ← 10.0 ← 10.6 *
 Best divider 41.0 (6.) 43.8 (1.) 64.6 (5.)
 Shot position 0.66 mm Left, 0.05 mm High
 Dispersion value 0.90, Horizontal: 1.23, Vertical: 0.35




Series 2:
 10.5 * 10.3 * 10.7 * 10.9 * 10.9 *
 10.7 * 10.5 * 10.4 * 10.7 * 10.4 *
 Best divider 15.0 (15.) 21.5 (14.) 52.8 (13.)
 Shot position 0.02 mm Right, 0.22 mm Low
 Dispersion value 0.74, Horizontal: 0.91, Vertical: 0.50




Series 3:
 10.7 * 10.4 * 10.4 * 10.9 * 10.3 *
 10.7 * 10.3 * 10.6 * 10.6 * 10.1 ↓
 Best divider 4.0 (24.) 57.7 (26.) 62.6 (21.)
 Shot position 0.01 mm Right, 0.59 mm Low
 Dispersion value 0.85, Horizontal: 0.85, Vertical: 0.84



Series 4:
 10.7 * 10.3 * 10.7 * 10.4 * 10.1 ↓
 10.6 * 10.4 * 10.6 * 10.6 * 9.9 ←
 Best divider 57.2 (33.) 69.4 (31.) 80.2 (38.)
 Shot position 0.00 mm , 0.17 mm Low
 Dispersion value 1.05, Horizontal: 1.20, Vertical: 0.88



Series 5:
 10.2 * 10.9 * 10.3 * 10.4 * 10.0 ↖
 10.5 * 10.6 * 10.3 * 10.7 * 10.4 *
 Best divider 17.0 (42.) 69.6 (49.) 89.3 (47.)
 Shot position 0.42 mm Left, 0.22 mm Low
 Dispersion value 1.02, Horizontal: 1.02, Vertical: 1.03



Series 6:
 9.8 → 10.8 * 10.7 * 10.8 * 10.3 *
 10.6 * 10.9 * 10.0 ↙ 10.5 * 10.7 *
 Best divider 4.0 (57.) 27.0 (54.) 41.0 (52.)
 Shot position 0.20 mm Right, 0.51 mm Low
 Dispersion value 0.94, Horizontal: 1.17, Vertical: 0.63

Meyton Elektronik

ISSF AR Men – Competition –

Firing point no: 13

OLSEN, Steffen H. #130

StartNr: 169

30. November 2019 10:26

Ballerup

QF – Qualified for Finals

signature of shooter

Meyton Elektronik