





Result: **623.9** (594)<sup>QF</sup>  
 Series: 102.4 104.4 102.0 104.3 106.2 104.6  
 Shot value: 54 6 0 0 0 0 0 0 0 0  
 Inner ten: 47  
 Furthest: 395 (23), 364 (9), 361 (21)  
 Best divider 5.0 (16.) 9.0 (48.) 10.0 (57.)  
 Shot position 0.12 mm Left, 0.22 mm High  
 Dispersion value 1.15, Horizontal: 1.05, Vertical: 1.24




Series 1:  
 10.3 \*                      10.2 \*                      10.7 \*                      10.2 \*                      10.2 \*  
 10.0 ↗                      10.3 \*                      10.5 \*                      9.5 ↘                      10.5 \*  
 Best divider 67.0 (3.) 103.7 (8.) 108.2 (10.)  
 Shot position 0.53 mm Right, 1.00 mm High  
 Dispersion value 1.15, Horizontal: 1.40, Vertical: 0.82




Series 2:  
 10.1 ↑                      10.4 \*                      10.1 ↗                      10.6 \*                      10.7 \*  
 10.9 \*                      10.7 \*                      10.0 ↘                      10.5 \*                      10.4 \*  
 Best divider 5.0 (16.) 72.0 (17.) 73.9 (15.)  
 Shot position 0.14 mm Left, 0.32 mm High  
 Dispersion value 1.07, Horizontal: 0.79, Vertical: 1.29




Series 3:  
 9.5 ↘                      9.9 ↘                      9.4 ↓                      10.6 \*                      10.4 \*  
 10.9 \*                      10.5 \*                      9.9 ↗                      10.4 \*                      10.5 \*  
 Best divider 25.5 (26.) 80.0 (24.) 106.1 (27.)  
 Shot position 0.09 mm Left, 0.78 mm Low  
 Dispersion value 1.54, Horizontal: 1.20, Vertical: 1.82



Series 4:  
 10.1 ↘                      10.2 \*                      10.6 \*                      10.2 \*                      10.8 \*  
 10.1 ↖                      10.8 \*                      10.4 \*                      10.4 \*                      10.7 \*  
 Best divider 43.0 (37.) 45.3 (35.) 75.1 (40.)  
 Shot position 0.10 mm Left, 0.02 mm High  
 Dispersion value 1.09, Horizontal: 1.10, Vertical: 1.07



Series 5:  
 10.5 \*                      10.4 \*                      10.4 \*                      10.7 \*                      10.7 \*  
 10.7 \*                      10.3 \*                      10.9 \*                      10.8 \*                      10.8 \*  
 Best divider 9.0 (48.) 38.0 (50.) 38.4 (49.)  
 Shot position 0.69 mm Left, 0.11 mm High  
 Dispersion value 0.50, Horizontal: 0.47, Vertical: 0.53



Series 6:  
 9.8 ↘                      10.7 \*                      10.6 \*                      10.3 \*                      10.3 \*  
 10.8 \*                      10.9 \*                      10.5 \*                      10.6 \*                      10.1 ↘  
 Best divider 10.0 (57.) 48.5 (56.) 71.0 (52.)  
 Shot position 0.26 mm Left, 0.64 mm High  
 Dispersion value 0.96, Horizontal: 0.95, Vertical: 0.97

Meyton Elektronik

**ISSF AR Women – Competition –**

Firing point no: 35

**HERSKIND, Christinna** #160

**StartNr: 355**

1. December 2019 9:35

Aalborg Skyttekreds

---

QF – Qualified for Finals

\_\_\_\_\_  
signature of shooter

Meyton Elektronik