





Result: **614.8** (589)  
 Series: 101.5 102.0 103.8 101.8 102.2 103.5  
 Shot value: 49 11 0 0 0 0 0 0 0 0  
 Inner ten: 35  
 Furthest: 341 (1), 326 (11), 311 (35)  
 Best divider 24.7 (17.) 34.9 (59.) 43.8 (34.)  
 Shot position 0.04 mm Right, 0.07 mm High  
 Dispersion value 1.37, Horizontal: 1.31, Vertical: 1.43




Series 1:  
 9.6 ↓                      10.0 ↙                      10.3 \*                      10.0 →                      10.2 \*  
 10.1 ↓                      10.6 \*                      10.0 ↙                      10.6 \*                      10.1 ←  
 Best divider 76.2 (7.) 87.3 (9.) 159.4 (3.)  
 Shot position 0.20 mm Left, 1.03 mm Low  
 Dispersion value 1.34, Horizontal: 1.53, Vertical: 1.11




Series 2:  
 9.6 ↑                      9.9 ↑                      10.6 \*                      10.0 ←                      10.4 \*  
 9.8 →                      10.9 \*                      10.6 \*                      10.1 ↘                      10.1 ↗  
 Best divider 24.7 (17.) 92.6 (13.) 99.9 (18.)  
 Shot position 0.49 mm Right, 0.78 mm High  
 Dispersion value 1.40, Horizontal: 1.45, Vertical: 1.34




Series 3:  
 10.4 \*                      10.5 \*                      10.3 \*                      10.5 \*                      10.8 \*  
 10.5 \*                      10.5 \*                      10.3 \*                      9.8 ↘                      10.2 \*  
 Best divider 44.7 (25.) 102.0 (22.) 109.6 (26.)  
 Shot position 0.21 mm Right, 0.04 mm High  
 Dispersion value 1.14, Horizontal: 0.97, Vertical: 1.28



Series 4:  
 10.2 \*                      10.8 \*                      10.1 ↘                      10.8 \*                      9.7 ↖  
 9.9 ↑                      10.3 \*                      9.9 ↗                      10.2 \*                      9.9 ←  
 Best divider 43.8 (34.) 44.0 (32.) 153.1 (37.)  
 Shot position 0.37 mm Left, 0.59 mm High  
 Dispersion value 1.47, Horizontal: 1.36, Vertical: 1.58



Series 5:  
 10.0 ↓                      10.4 \*                      10.2 \*                      10.6 \*                      10.0 ↓  
 9.8 ↑                      10.7 \*                      10.0 ↖                      9.8 ↗                      10.7 \*  
 Best divider 68.9 (50.) 73.4 (47.) 82.9 (44.)  
 Shot position 0.06 mm Left, 0.15 mm High  
 Dispersion value 1.52, Horizontal: 1.36, Vertical: 1.66



Series 6:  
 10.0 ←                      10.5 \*                      10.3 \*                      10.2 \*                      10.5 \*  
 10.2 \*                      10.2 \*                      10.1 ↘                      10.8 \*                      10.7 \*  
 Best divider 34.9 (59.) 66.2 (60.) 117.6 (55.)  
 Shot position 0.17 mm Right, 0.10 mm Low  
 Dispersion value 1.20, Horizontal: 1.26, Vertical: 1.13

Meyton Elektronik

**ISSF AR Men** – *Competition* –

Firing point no: 13

**ØRUM, Lars** #162

**StartNr: 456**

1. December 2019 15:39

Aalborg Skyttekreds

---

signature of shooter

---

*Meyton Elektronik*