





Result: **624.8** (595)^{QF}
 Series: 104.7 104.5 101.7 103.7 106.3 103.9
 Shot value: 55 5 0 0 0 0 0 0 0 0
 Inner ten: 45
 Furthest: 384 (28), 320 (16), 292 (21)
 Best divider 7.2 (35.) 12.6 (47.) 14.0 (48.)
 Shot position 0.08 mm Right, 0.13 mm High
 Dispersion value 1.13, Horizontal: 1.35, Vertical: 0.87




Series 1:
 10.3 * 10.9 * 10.1 → 10.6 * 10.7 *
 10.2 * 10.8 * 10.7 * 10.5 * 9.9 →
 Best divider 15.6 (2.) 41.7 (7.) 60.2 (5.)
 Shot position 0.05 mm Right, 0.08 mm High
 Dispersion value 1.04, Horizontal: 1.29, Vertical: 0.72




Series 2:
 10.7 * 10.8 * 10.5 * 10.5 * 10.6 *
 9.7 ← 10.3 * 10.5 * 10.2 * 10.7 *
 Best divider 37.3 (12.) 66.2 (20.) 70.3 (11.)
 Shot position 0.31 mm Left, 0.23 mm Low
 Dispersion value 1.07, Horizontal: 1.39, Vertical: 0.57




Series 3:
 9.8 ↗ 10.2 * 10.2 * 10.6 * 10.3 *
 10.1 ↑ 10.8 * 9.4 → 10.1 ↑ 10.2 *
 Best divider 46.0 (27.) 97.8 (24.) 174.8 (25.)
 Shot position 0.27 mm Right, 0.92 mm High
 Dispersion value 1.44, Horizontal: 1.71, Vertical: 1.10



Series 4:
 10.5 * 10.5 * 10.5 * 10.2 * 10.9 *
 9.9 ← 10.0 ↘ 10.4 * 10.8 * 10.0 ↘
 Best divider 7.2 (35.) 45.1 (39.) 107.5 (32.)
 Shot position 0.07 mm Left, 0.13 mm Low
 Dispersion value 1.26, Horizontal: 1.32, Vertical: 1.19



Series 5:
 10.6 * 10.1 → 10.8 * 10.1 → 10.8 *
 10.7 * 10.9 * 10.9 * 10.6 * 10.8 *
 Best divider 12.6 (47.) 14.0 (48.) 29.6 (50.)
 Shot position 0.26 mm Right, 0.08 mm High
 Dispersion value 0.76, Horizontal: 0.97, Vertical: 0.48



Series 6:
 10.7 * 10.5 * 10.0 → 10.8 * 10.7 *
 10.6 * 10.0 ↖ 10.2 * 10.1 ← 10.3 *
 Best divider 47.5 (54.) 53.6 (51.) 63.5 (55.)
 Shot position 0.32 mm Right, 0.11 mm High
 Dispersion value 1.16, Horizontal: 1.55, Vertical: 0.54

Meyton Elektronik

ISSF AR Men – Competition –

Firing point no: 20

OLSEN, Steffen H. #130

StartNr: 463

1. December 2019 15:11

Ballerup

QF – Qualified for Finals

signature of shooter

Meyton Elektronik