





Result: **621.8** (592)^{QF}
 Series: 103.4 102.8 103.5 103.4 105.0 103.7
 Shot value: 52 8 0 0 0 0 0 0 0 0
 Inner ten: 46
 Furthest: 352 (40), 334 (55), 330 (22)
 Best divider 10.1 (42.) 11.0 (41.) 23.0 (60.)
 Shot position 0.10 mm Right, 0.00 mm
 Dispersion value 1.21, Horizontal: 1.38, Vertical: 1.02




Series 1:
 10.0 → 10.2 * 10.4 * 10.8 * 10.3 *
 10.1 ↘ 10.8 * 10.0 ↘ 10.5 * 10.3 *
 Best divider 30.2 (7.) 44.0 (4.) 111.8 (9.)
 Shot position 0.85 mm Right, 0.01 mm Low
 Dispersion value 1.08, Horizontal: 0.90, Vertical: 1.24




Series 2:
 10.1 → 10.6 * 9.9 ↗ 9.7 → 9.8 ←
 10.8 * 10.6 * 10.5 * 10.4 * 10.4 *
 Best divider 46.0 (16.) 87.6 (17.) 100.6 (12.)
 Shot position 0.08 mm Left, 0.52 mm High
 Dispersion value 1.38, Horizontal: 1.83, Vertical: 0.66




Series 3:
 10.2 * 9.6 → 10.5 * 10.2 * 10.7 *
 10.3 * 10.5 * 10.5 * 10.6 * 10.4 *
 Best divider 70.6 (25.) 98.4 (29.) 107.7 (27.)
 Shot position 0.13 mm Left, 0.36 mm Low
 Dispersion value 1.23, Horizontal: 1.54, Vertical: 0.82



Series 4:
 10.2 * 10.7 * 10.4 * 10.7 * 10.4 *
 10.1 ↙ 10.6 * 10.2 * 10.6 * 9.5 ←
 Best divider 53.3 (34.) 74.4 (32.) 81.0 (39.)
 Shot position 0.16 mm Right, 0.24 mm Low
 Dispersion value 1.28, Horizontal: 1.58, Vertical: 0.90



Series 5:
 10.9 * 10.9 * 10.4 * 10.6 * 10.1 ↖
 10.5 * 10.2 * 10.5 * 10.4 * 10.5 *
 Best divider 10.1 (42.) 11.0 (41.) 89.6 (44.)
 Shot position 0.04 mm Left, 0.83 mm High
 Dispersion value 0.74, Horizontal: 0.77, Vertical: 0.71



Series 6:
 10.8 * 10.3 * 9.9 ↙ 10.7 * 9.6 ↘
 9.9 ↘ 10.5 * 10.5 * 10.6 * 10.9 *
 Best divider 23.0 (60.) 39.0 (51.) 57.2 (54.)
 Shot position 0.12 mm Left, 0.71 mm Low
 Dispersion value 1.23, Horizontal: 1.45, Vertical: 0.98

Meyton Elektronik

ISSF AR Men – *Competition* –

Firing point no: 23

OVERGAARD, Niels H. #128

StartNr: 466

1. December 2019 15:32

Trehøje

QF – Qualified for Finals

signature of shooter

Meyton Elektronik