





Result: **596.4** (568)  
 Series: 101.0 99.3 100.8 100.6 98.6 96.1  
 Shot value: 32 24 4 0 0 0 0 0 0 0  
 Inner ten: 29  
 Furthest: 698 (4), 637 (53), 528 (36)  
 Best divider 28.2 (11.) 53.0 (25.) 71.8 (5.)  
 Shot position 0.00 mm , 0.34 mm High  
 Dispersion value 2.06, Horizontal: 2.40, Vertical: 1.65




Series 1:  
 10.4 \*                      10.4 \*                      10.4 \*                      8.2 ←                      10.7 \*  
 10.4 \*                      10.3 \*                      10.2 \*                      9.7 →                      10.3 \*  
 Best divider 71.8 (5.) 131.6 (3.) 141.4 (2.)  
 Shot position 0.04 mm Right, 0.68 mm High  
 Dispersion value 2.00, Horizontal: 2.59, Vertical: 1.13




Series 2:  
 10.8 \*                      9.8 ↗                      9.5 ↘                      9.2 ←                      9.9 ↓  
 10.2 \*                      9.5 ←                      9.9 ↘                      10.5 \*                      10.0 ←  
 Best divider 28.2 (11.) 117.6 (19.) 186.9 (16.)  
 Shot position 0.87 mm Left, 0.65 mm Low  
 Dispersion value 1.94, Horizontal: 2.02, Vertical: 1.85




Series 3:  
 9.2 ↗                      9.8 ↘                      10.5 \*                      10.5 \*                      10.7 \*  
 10.0 ↘                      10.2 \*                      10.3 \*                      9.4 ↘                      10.2 \*  
 Best divider 53.0 (25.) 114.6 (23.) 115.2 (24.)  
 Shot position 0.79 mm Left, 0.66 mm High  
 Dispersion value 1.68, Horizontal: 1.55, Vertical: 1.80



Series 4:  
 10.4 \*                      9.9 ↘                      9.9 ↑                      10.1 ←                      10.5 \*  
 8.8 →                      10.5 \*                      10.5 \*                      9.8 ↘                      10.2 \*  
 Best divider 101.2 (37.) 115.0 (35.) 119.1 (38.)  
 Shot position 0.16 mm Left, 0.68 mm High  
 Dispersion value 1.83, Horizontal: 2.20, Vertical: 1.36



Series 5:  
 10.3 \*                      8.9 →                      10.3 \*                      9.8 ↑                      9.4 ←  
 10.4 \*                      9.9 ↘                      9.0 ↘                      10.3 \*                      10.3 \*  
 Best divider 132.5 (46.) 151.0 (43.) 157.9 (50.)  
 Shot position 0.08 mm Right, 0.09 mm High  
 Dispersion value 2.27, Horizontal: 2.77, Vertical: 1.62



Series 6:  
 9.6 ↗                      9.1 ↘                      8.4 →                      10.2 \*                      10.6 \*  
 9.9 ↘                      9.6 →                      9.6 ↑                      9.4 ↗                      9.7 →  
 Best divider 100.8 (55.) 179.6 (54.) 269.4 (56.)  
 Shot position 1.69 mm Right, 0.61 mm High  
 Dispersion value 2.36, Horizontal: 2.69, Vertical: 1.96

Meyton Elektronik

**ISSF AR Men Jun** – *Competition* –

Firing point no: 29

**Turunen, Antti** #226

**StartNr: 17**

26. November 2021 13:28

K-UAS

---

\_\_\_\_\_  
signature of shooter

*Meyton Elektronik*