





Result: **622.5** (594)^{QF}
 Series: 104.8 104.3 103.1 103.3 101.4 105.6
 Shot value: 54 6 0 0 0 0 0 0 0 0
 Inner ten: 49
 Furthest: 490 (44), 345 (5), 339 (30)
 Best divider 13.0 (57.) 37.4 (7.) 40.4 (31.)
 Shot position 0.08 mm Left, 0.04 mm High
 Dispersion value 1.21, Horizontal: 1.36, Vertical: 1.03




Series 1:
 10.3 * 10.8 * 10.7 * 10.6 * 9.6 ↙
 10.6 * 10.8 * 10.6 * 10.4 * 10.4 *
 Best divider 37.4 (7.) 43.4 (2.) 64.2 (3.)
 Shot position 0.05 mm Right, 0.22 mm High
 Dispersion value 1.08, Horizontal: 1.17, Vertical: 0.98




Series 2:
 10.5 * 10.6 * 10.5 * 10.6 * 10.2 *
 10.0 → 10.7 * 10.5 * 10.2 * 10.5 *
 Best divider 60.2 (17.) 93.8 (12.) 98.1 (14.)
 Shot position 0.03 mm Right, 0.45 mm Low
 Dispersion value 0.99, Horizontal: 1.19, Vertical: 0.75




Series 3:
 10.6 * 10.8 * 10.3 * 10.6 * 10.2 *
 10.6 * 10.3 * 10.0 → 10.1 → 9.6 ←
 Best divider 40.8 (22.) 90.8 (26.) 92.0 (24.)
 Shot position 0.23 mm Left, 0.17 mm Low
 Dispersion value 1.34, Horizontal: 1.82, Vertical: 0.50



Series 4:
 10.8 * 10.5 * 10.2 * 10.0 → 10.5 *
 10.4 * 10.3 * 9.9 ↗ 10.2 * 10.5 *
 Best divider 40.4 (31.) 102.4 (35.) 103.8 (32.)
 Shot position 0.09 mm Right, 0.24 mm Low
 Dispersion value 1.24, Horizontal: 1.31, Vertical: 1.16



Series 5:
 9.7 ↑ 10.5 * 10.5 * 9.0 ↗ 9.7 ←
 10.0 ← 10.6 * 10.6 * 10.2 * 10.6 *
 Best divider 81.8 (50.) 88.3 (48.) 97.4 (47.)
 Shot position 0.30 mm Left, 0.49 mm High
 Dispersion value 1.74, Horizontal: 1.86, Vertical: 1.60



Series 6:
 10.4 * 10.7 * 10.7 * 10.4 * 10.8 *
 10.4 * 10.9 * 10.3 * 10.4 * 10.6 *
 Best divider 13.0 (57.) 40.6 (55.) 53.7 (53.)
 Shot position 0.14 mm Left, 0.42 mm High
 Dispersion value 0.74, Horizontal: 0.80, Vertical: 0.67

Meyton Elektronik

ISSF AR Men – *Competition* –

Firing point no: 6

Kildehøj, Nicklas H. #114

StartNr: 24

26. November 2021 15:35

BPI

QF – Qualified for Finals

signature of shooter

Meyton Elektronik